

14/15), 63. . 1. (, . " , . 124/12  
 07.08.2015. ), . 1.3.62, ( . 03-6166

. 1

III , . 3. , VII T . 4. 31/43, - :

|   |   |                |        |  |  |
|---|---|----------------|--------|--|--|
| 3 | e 30 V8 -150 e<br>m <sup>3</sup>                      | m <sup>3</sup> | 165,00 |  |  |
| 4 | ( 1.20m). 24.75m x<br>50 V-8 M-150.<br>m <sup>3</sup> | m <sup>3</sup> | 75,00  |  |  |

, . 1. . 2. 32/43, IV :

|   |                                  |    |           |  |  |
|---|----------------------------------|----|-----------|--|--|
| 1 | RA 400/500-2 I GA 240/360,<br>kg |    |           |  |  |
|   | Ø<12mm                           | kg | 7.000,00  |  |  |
|   | Ø 12mm                           | kg | 47.000,00 |  |  |
| 2 |                                  |    |           |  |  |
|   | 6 16Ø7.<br>kg                    | kg | 5.553,00  |  |  |

33/43,

VII

, . 1.

|   |  |    |        |  |  |
|---|--|----|--------|--|--|
| 1 |  |    |        |  |  |
|   | 14cm.<br>(<br>60 mm,<br>120mm,<br>60<br>mm). |    |        |  |  |
|   | kg   | kg | 800,00 |  |  |

VII T . 43/43 . 1

31/43, 32/43, 33/43 . 1

. 3. . 1. . 33.

, 28.08.2015.

.1,

.31/43 ,


.1.3.62.

|     |                |                |                |        |  |
|-----|----------------|----------------|----------------|--------|--|
| 4   |                |                |                |        |  |
|     |                | 300            |                |        |  |
|     | m <sup>3</sup> | m <sup>3</sup> | m <sup>3</sup> | 670,00 |  |
|     |                |                | II             |        |  |
| III |                |                |                |        |  |
| 1   |                | 15             |                |        |  |
|     | 5cm,           |                |                |        |  |
|     |                | m <sup>2</sup> | m <sup>2</sup> | 120,00 |  |
| 2   |                |                |                |        |  |
|     | 150            | 30 V8 -        |                |        |  |
|     | m <sup>3</sup> |                | m <sup>3</sup> | 120,00 |  |
| 3   |                |                |                |        |  |
|     | e              | 30 V8 -150 e   |                |        |  |
|     |                | m <sup>3</sup> | m <sup>3</sup> | 165,00 |  |
| 4   |                |                |                |        |  |
|     | (              | 24.75m x       |                |        |  |
|     | 1.20m).        | 50 V-8 M-150.  |                |        |  |
|     |                | m <sup>3</sup> | m <sup>3</sup> | 75,00  |  |
| 5   |                |                |                |        |  |
|     |                | MB 40 V-6 -150 |                |        |  |
|     |                | m <sup>3</sup> | m <sup>3</sup> | 17,50  |  |

|    |  |                |           |  |  |
|----|--|----------------|-----------|--|--|
| 6  |  |                |           |  |  |
|    | MB 40 V-8 -150<br>m <sup>3</sup>                   | m <sup>3</sup> | 11,50     |  |  |
| 7  |  |                |           |  |  |
|    | MB 30 V-8 -150<br>=23cm,<br>Ø125<br>m <sup>3</sup> | m <sup>3</sup> | 35,00     |  |  |
| 8  |  |                |           |  |  |
|    | 150 MB30 V-8 M-<br>m'                              | m'             | 50,00     |  |  |
| 9  |  |                |           |  |  |
|    | MB 40, V-8, -150,<br>m <sup>3</sup>                | m <sup>3</sup> | 18,50     |  |  |
|    |  |                | III       |  |  |
| IV |  |                |           |  |  |
| 1  | RA 400/500-2 I GA 240/360,<br>kg                   |                |           |  |  |
|    | Ø<12mm   | kg             | 7.000,00  |  |  |
|    | Ø 12mm   | kg             | 47.000,00 |  |  |
| 2  |  |                |           |  |  |
|    | 6 16Ø7.<br>kg                                      | kg             | 5.553,00  |  |  |
|    |  |                | IV        |  |  |



. 1.



DETALJ ARMIRANJA  
 GLAVNIH SREDNJIH NOSACA  
 Kom. 4

1

