

54. 12. 1) ( " " ,  
 . 124/12, 14/15 68/15), o  
 ( . 03-2317 24.03.2016. ), . 1.3.33,

. 2

. 31/40 VII . 1. : - , IV ,

IV 1.	6cm 36 24cm,24 24cm 24 12cm 12 12cm	m <sup>2</sup>	1.900,00		
----------	--	----------------	----------	--	--

. 40/40

31/40

. 1. . 2. 3. . 10.

63. . 5. ( " " . 124/12, 14/15  
 68/15), \_\_\_\_\_

. 1.3.33.

04.05.2016. 10<sup>30</sup>  
11<sup>00</sup>

. 7. . 6.

. 21.04.2016.


IV					
1.	6cm 36 24cm,24 24cm 24 12cm 12 12cm	m <sup>2</sup>	1.900,00		
2.	40/40/8. 20,	kom.	35		
3.	18/24/80. 20 1,2cm	m <sup>1</sup>	35,00		
				IV:	
V					
1.	30, Q188. 2,5%. 600mm, 4cm	kom.	20		
				V:	
				:	

.2,


.31/40 ,

.1.3.33.

## DETALJ POPLOČAVANJA POVRŠINE TROTOARA



## ŠEMA JEDNOG SLOGA POPLOČAVANJA



## DIMENZIJE PLOČA KOJE ČINE JEDAN SLOG

